## **CITY OF ADA, PURCHASING**

512 North Stockton Street Ada, Oklahoma 74820 580/436-6300 x256 Fax 580/436-8044

## **BID NOTICE**

## November 20, 2018

Bid Proposal:19-39-04Item: Curb, Gutter and Lane Slipform PaverBid Due:December 11, 2018 @ 1:30 p.m.CST at City of Ada Purchasing Dept., 512 N. Stockton<br/>St, Ada, Ok 74820Bid Opening:December 11, 2018 @ 2:00 p.m.CST at City of Ada West Annex, 210 W. 13th St (West<br/>End Door), Ada, OKMailing Address:City of Ada – Purchasing, 512 N. Stockton Ada, OK 74820Published:Ada Evening News, November 21 & 28, 2018

## NOTICE IS HEREBY GIVEN THAT:

The City of Ada, Oklahoma and its agencies/authorities herein called (BUYER) will receive **SEALED BIDS** as listed above at which time said bids will be opened and read aloud.

Complete plans, specifications, conditions, etc. and bidding information may be obtained from the City of Ada Purchasing Office, 512 N. Stockton, Ada, OK.

## **GENERAL CONDITIONS**

- 01. Bidders must complete and submit bid on the provided bid documents. Duplication of bid documents is authorized.
- 02. Bids must be submitted in a sealed envelope clearly marked "SEALED BID" and bear the bid number, item, and bidder's name. Bids improperly marked, submitted, and/or received after the bid opening may be rejected unless lateness is due to other than the bidder's fault -- such as mail or delivery errors. FAX bids are not acceptable.
- 03. The BUYER is an Equal Opportunity Employer and purchases only from those that comply with applicable Equal Opportunity Provisions. Non-compliance will result in rejection of bids and/or breach of contract.
- 04. The bid amount must be FOB -- Ada, OK and exclude all taxes.
- 05. Unless so stated, bids will be evaluated by Life Cycle Cost and will be awarded on a "Best Buy" basis as determined by the BUYER.
- 06. Offer Period 30 days after the bid opening unless so stated. Formal acceptance will be by receipt of a valid purchase order issued by the BUYER within the offer period.
- 07. **PAYMENT** -- Full payment will be made approximately 3 weeks <u>AFTER</u> receipt and acceptance of the goods/services and required documents.
- 08. The BUYER reserves the right to negotiate changes/alterations/quantities to the base bid with the low bidder.
- 09. The BUYER reserves the right to waive any informalities in the bidding process and/or reject all bids.
- 10. Mistakes, Errors, Bid Withdrawal, or Adjustments.
  - A. Prior to bid opening, bidders may withdraw or alter their bids or submit adjustments or attachments provided the total bid amount is not revealed and it does not provide an unfair advantage to the bidder.
  - B. After bid opening, only corrections of obvious errors will be accepted.
- 11. Bond Requirements: NONE
- 12. Insurance Requirements: NONE
- 13. Bid Documents: Bid Notice, Bid Form, and Detailed Specifications.

Pam McKinzie, Purchasing Director

## CURB, GUTTER & LANE SLIPFORM PAVER BID PROPOSAL: 19-39-04

Submitted by:

Submitted to:CITY OF ADA, OKLAHOMA, Purchasing Dept, 512 North Stockton, Ada, OK 74820Bid Due:December 11, 2018 @ 1:30 p.m. CST at City of Ada Purchasing Dept, 512 N.<br/>Stockton St., Ada, OK 74820Bid Opening:December 11, 2018 @ 2:00 p.m. CST at City of Ada West Annex, 2210 West 13th<br/>(West End Door), Ada, OK

This is a formal bid proposal submitted by the bidder to the City of Ada, Oklahoma and its agencies/authorities herein called (BUYER), as a legal offer. When properly accepted by an authorized agent of the BUYER, it shall constitute a firm and binding contract between these two parties in accordance to the conditions and specifications stated and/or implied within the bid documents.

#### PURPOSE:

This bid is intended to provide one (1) each Curb, Gutter and Lane Slipform Paver. The paver will be new, of the latest production model, meet or exceed certain specifications to include all standard features and necessary accessories for normal, safe, legal operations, fully serviced-ready to operate. The completed unit will be delivered to the **CITY OF ADA** at 512 N. Stockton, Ada, OK.

Offer period: This offer is good through		
Year-Make-Model:		
Options:		
Price:	Delivery time:	

#### GENERAL SPECIFICATIONS:

(Any reference to one manufacturer's equipment is meant as being descriptive only as to level of quality and type of equipment desired, but not restrictive as to manufacturer.)

These specifications shall provide for a new Slipform Paver must be complete with manufacturer's standard equipment and accessories, fully serviced, ready to operate; to include manufacturer's certificate, warranty service certificate, application for title, and to be bid less all applicable State and Federal taxes. This Paver should be equipped to meet all Federal and State safety standards and requirements including, but not limited to ANSI, OSHA, and DOT. No dealer's advertisement shall be affixed to the vehicle.

These specifications shall provide for a Slipform Paver that is capable of making curbs, gutters and lanes for the City of Ada. The Paver must be compatible with the Topcom Hiper V Laser System. All the equipment and components shall be new, unused, and serviced and ready for operation upon delivery.

The following specification sheet must be completed and submitted as part of the bid proposal. The bidder shall indicate an appropriate response in EVERY SPACE by checking "yes" or "no". A "yes" response indicates that it is in COMPLETE COMPLIANCE with the specification, or a detailed description of any and all deviations from the spec should be noted to the right. If there is not enough room to give a detailed description please attach the written description to the bid document. The right is reserved to determine whether substitutions or deviations are within the intent of the specifications and will

reasonably meet the service requirements of the using department. Failure to comply with the above requirements for bidding will be cause for rejection of the bid.

		PECIFICATIONS: (Please Complete)				
YES	NO	SPECIFICATIONS (minimum)	DESCRIPTION DETAILS			
		PAVER SPECIFICATIONS:				
		Paver with a minimum 28,750 Operating Weight				
		C7.1L Diesel engine minimum of 173 HP or comparable				
		Hydraulic Oil Reservoir min. 162 gal				
		Oil Cooler				
		<ul> <li>42 in. Wide-Sectional Trimmerhead Including:</li> <li>* one 24-inch drive section with hydraulic internal drive.</li> <li>* One 18-inch extension</li> <li>* 18 inch hydraulic vertical adjustment and 6 inch manual vertical adjustment</li> <li>*36-inch hydraulic side shift adjustment</li> </ul>				
		One Curb and Gutter Mold *Up to 36 inch wide				
		Drawbar and Hold-Down Assembly *18-inch pressure-compensated hydraulic vertical adjustment and 6-inch manual vertical adjustment *36-inch maximum hydraulic sideshift Hold-Over Assembly *Hydraulic powered, required when paving adjacent to existing slab Swinging Drawbar Extension *includes drawbar extension, turnbuckles, and pins for turnbuckles				
		*for use with molds wider than 48-inches Additional Hold-Down Assembly for				
		molds with than 7ft Four Hydraulic Vibrators				
		Eight Hydraulic Vibrator Circuits with Individual Controls				
		Hydraulic Pump System *five load-sensed hydraulic pumps *One fixed displacement hydraulic pump for cooling fan *One pressure-compensated lift circuit pump				
		G+Control System				

## **DETAILED SPECIFICATIONS:** (Please Complete)

		*Self-diagnostic system with 6.5-inch	
		anti-glare, steering and reverse steering	
		with "Smart Cylinder" technology, cross	
		slope, and reverse steering	
		5	
YES	NO	SPECIFICATIONS: (minimum)	DESCRIPTION DETAILS:
		Automatic On/Off Control for Vibrators	
		Synchronized with Machine Movement	
		Three Crawler Tracks-Series One	
		*Hydraulically driven and automatic	
		tensioning	
		*5 ft. 1.4 inch long	
		*3 ft. 4.5 inch center-to-center of	
		sprockets *11.8 inch wide pads with street grousers	
		*98.88:1 gear reduction with two-speed	
		hydraulic motors	
		Hydraulically Pivoting Left Front Track	
		Mount	
		Hydraulically Extendible Right-Side Track	
		and Rear Track Mounts	
		Piston-Style Leg Assemblies with 42-inch Stroke Lift Cylinders	
		High-Pressure Water System	
		*includes 110 gallon tank, trigger gun	
		control and adjustable pressure unloader	
		for 0 to 2000 psi	
		Concrete Charging Conveyor and Mount	
		*hydraulically driven	
		*17 ft. 1 in between pulley centers	
		*24-inch wide belt	
		*variable speed and reversible	
		*hydraulic sliding conveyor mount with	
		lateral swing and hydraulic adjustment	
		for charging height	
		Right-Hand Sensor Bracket for	
		Barrier/Parapet Work	
		Modular Electronic Control Panel	
		Pivoting Operator's Station	
		*the operator's console allows the	
		operator to have hands-on control and	
		ultimate visibility no matter what	
		application is being slipformed or what	
		direction of travel	
		Isolated Operator's Platform to Eliminate	
		Vibration	

		Emorgonov Ston Switchoo	
	L	Emergency Stop Switches	
		Hardware and Software for 3-D Ready	
		*Power conditioner, two prism masts (no	
		prisms), electrical assembly, mount post	
		assembly for computer and software for	
		G+ controller	
YES	NO	SPECIFICATIONS: (minimum)	DESCRIPTION DETAILS:
		Remote Diagnostics:	
		*Telematics and data plan for 2 years	
		*Able to download software directly to	
		the machine	
		*Troubleshoot machine with telematics	
		54-INCH Square Umbrella	
		Ontiono Equipmont:	
		Options Equipment:	
		10 ft. Heavy-Duty Sectionalized Mold –	
		Open Front or Closed Front: *with 2 ft. LH end section	
		*with 2 ft. RH end section	
		*with 1 ea. 12 in. (305mm) wide insert	
		*with 1 ea. 24 in. (610mm) wide insert	
		*with 1 ea. 36 in. (914 mm) wide insert	
		*with sectional cross auger assembly	
		*with hydraulic adjustable side plates –	
		both sides -0 to 8 in.	
		*includes height extensions for up to	
		10 in. slab	
		*includes 6 additional hydraulic vibrators	
		Additional Trimmerhead Extensions	
		for Trimming 10 ft.	
		*2 ea. 18 in. Trimmerhead Extensions	
		*2 ea. 24 in. Trimmerhead Extensions	
		Polyurethane Track Pads	
		*Clip onto metal grousers	
		*Complete pad set required for 3-track	
		machine	
		Light System for Night Operation	
		*includes electrical wiring, four LED 9-32 V 1950 LM non-glare lights, and	
		mounts	
		Curb Depressor For Driveway	
		*hydraulically powered	
		*for use on curb and gutter molds	
		Warranty-PLEASE NOTE DETAILS OR	
		PROVIDE A COPY OF THE	
		MANUFACTURER'S WARRANTY WITH	
		THE BID	
		Extended Warranty- PLEASE NOTE	
		DETAILS OR PROVIDE A COPY OF	
	L	DETAILS OR FROVIDE A COPT OF	

THE EXTENDED WARRANTY. DO NOT INCLUDE ADDITIONAL WARRANTY PRICE IN THE BID PRICE \$ Extended Warranty Cost	
Training:	
Two weeks of onsite training	
Attach details of training plan	

## NON-COLLUSION AFFIDAVIT

The undersigned, of lawful age, being first duly sworn, on oath, says that (s) he is the bidder or bidder's authorized agent, and is authorized to submit this bid (offer). Affidavit further states that the bidder, or bidder's agent, has not been a party to any collusion among bidders in the restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or price in the prospective contract; or in any discussion between bidder and/or any BUYER officials concerning exchange of money or other things of value for special consideration on the letting of this bid.

## **BUSINESS RELATIONSHIP AFFIDAVIT**

## If none of the business relationships mentioned exist, affidavit should so state "NONE".

The undersigned, of lawful age, being first duly sworn, on oath says that (s) he is the bidder or bidder's authorized agent to submit this bid. Affidavit further states that the nature if any partnership, joint venture, or other business relationship presently in effect or which existed within one (1) year prior to the date of this bid with any BUYER officials or employee is as follows:

\_

Affidavit further states that any such business relationship presently in effect or which existed one (1) year prior to this bid between the bidder or officers or employees of the BUYER or other party to this bid is as follows.

\_

Affidavit further states that the names of all persons having any such business relationship and the positions they hold with their respective companies or firms are as follows:

Firm:	Name:
Address:	Signature:
City/St/Zip:	Title:
Phone:	Date:
	NOTARY

Subscribed	and	sworn	before	me	this	 day of	 _,
201							

My notary expires \_\_\_\_\_\_ Notary: \_\_\_\_\_

# **CONTRACTOR/BIDDER INFORMATION SHEET**

To be completed by all Bidders For Contracts with the City of Ada (Please print or type)

Project No. or Description	
Full Name of Bidder	
Legal Identity (Corporation, Partnership, Individual, etc.)	
Address	
City, State, Zip	
Telephone No.	
Fax No.	
Taxpayer Identification Number	
Contact Person	